ANFORMATION DISCLOSURE STATEMENT E BY APPLICANT

| Attorney Docket Number | 4810-66314-02 |
|------------------------|------------------|
| Application Number | 10/521,071 |
| Filing Date | January 12, 2005 |
| First Named Inventor | Lim |
| Art Unit | |
| Examiner Name | |

U.S. PATENT DOCUMENTS

Copies of U.S. Patent documents do not need to be provided, unless requested by the Patent and Trademark Office. For patents, provide the patent number and the issue date. For published U.S. applications, provide the publication number and the publication date. For unpublished pending patent applications, provide the application number and the filing date.

| Examiner's Initials* | Cite No. (optional) | Number | Publication Date | Name of Applicant or Patentee |
|-------------------------|------------------------|-----------------|------------------|-------------------------------|
| TK | | 6,429,012 | August 2002 | Kraus et al. |
| TK | v | US-2003/0180265 | September 2003 | Scott et al. |
| TK | | US-2004/0107453 | June 2004 | Furcht et al. |

| Examiner's Initials* | Cite No. (optional) | OTHER DOCUMENTS |
|-------------------------|------------------------|--|
| TK | | HUGHES et al., "Culture of cells of the osteoblast lineage," In Methods in Bone Biology, Chapman & Hall, Arnett and Henderson, eds. 20-22, 1998. |

EXAMINER SIGNATURE:

1

/Taeyoon Kim/

DATE CONSIDERED:

10/05/2006

^{*} Examiner: Initial if reference considered, whether or not in conformance with MPEP 609. Draw line through cite if not in conformance and not considered. Include copy of this form with next communication to applicant.

Sheet 1

Examiner

TK

Approved for use through 07/31/2006. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use as many sheets as necessary)

Document Number

| Complete if Known | | | | | |
|------------------------|---------------|--|--|--|--|
| Application Number | 10/521,071 | | | | |
| Filing Date | July 11, 2003 | | | | |
| First Named Inventor | LIM, Sai K. | | | | |
| Art Unit | N/A | | | | |
| Examiner Name | N/A | | | | |
| Attorney Docket Number | 4810-66314-02 | | | | |

Page, Columns, Lines, Where

| Illiuais | NO. | Number-Kind code 2 (# known) | IMM-UU-T | ТТ ДАРР | licant of Cited Document | Relevant Passages of Relev Figures Appear | ant |
|------------------------|-------------|---|------------|---------------------|--|---|----------------|
| TK | C1 . | US-5,980,887 A | November 9 |), Isner et | al. | | |
| | | | FOREIGN | PATENT DOC | UMENTS | | |
| Examiner Initials * | Cite No. | Foreign Patent Document | | Publication Date | Name of Patentee or Applicant of Cited Document | Pages, Columns, Lines, Where Relevant Passages | |
| | | Country Code ³ Number ⁴ Kind Code ⁵ (i | if known) | MM-DD-YYYY | | Or Relevant Figures Appear | T ⁶ |
| mv. | C2 | WO 03/080116 A | - | October 2, | University of Florida | | |

2003

U.S. PATENT DOCUMENTS

Name of Patentee or

Publication Date

| NON PATENT LITERATURE DOCUMENTS | | | | | | | |
|---------------------------------|---------------|---|----|--|--|--|--|
| Examiner Initials * | Cite No. 1 | Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, pages), volume-issue number(s), publisher, city and /or country where published. | T² | | | | |
| TK | C3 | CHOI K ET AL.: "A common precursor for hematopoietic and endothelial cells", Development, Company of Biologists, Cambridge, GB, vol. 125, 1998, pages 725-732, XP002125755 ISSN: 0950-1991. | | | | | |
| TK | C4 | CHUNG YUN SHIN ET AL.: "Lineage analysis of the hemangioblast as defined by FLK1and SCL expression". Development (Cambridge), Vol. 129, no. 23, December 2002 (2002-12), pages 5511-5520, XP002352153 ISSN: 0950-1991. | | | | | |
| TK | C5 | ROBB L. ET AL.: "The hemangioblast-an elusive cell captured in culture" BOIESSAYS, Cambridge, GB, vol. 20, 1998, pages 611-614, XP002125754 ISSN:0265-9247. | | | | | |

| Examiner | /Taeyoon Kim/ | Date | |
|-----------|----------------|------------|------------|
| Signature | / racjoon man/ | Considered | 10/05/2006 |
| Signature | | Considered | ,, |

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Applicant's unique citation designation number (optional). Applicant is to place a checkmark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

| Form PTO-1449 (Modified) | Atty, Docket No. 4810-6631 | Serial No. 10/521,071 |
|--|------------------------------|-----------------------|
| LIST OF PATENTS AND PUBLICATIONS DEC \$2 2005 | Applicant LIM, SAI K. | |
| DISCLOSURE STATEMENT (Use several sheets if necessary) | Filing Date January 12, 2005 | Group |

REFERENCE DESIGNATION U.S. PATENT DOCUMENTS

| EX/ INI | | | DOCUMENT NUMBER | | | | | BER | | DATE | NAME | CLASS | SUB CLASS | FIL.DATE IF APPROPRIATE |
|------------|----|----|-----------------|---|---|---|---|-----|---|------------|------------------|-------|--------------|----------------------------|
| T | 'K | Αl | 5 | 3 | 9 | 9 | 3 | 4 | 6 | 21/03/1995 | ANDERSON ET AL. | 424 | 93.21 | 30/03/1997 |
| | I | A2 | 5 | 5 | 9 | 9 | 7 | 0 | 3 | 04/02/1997 | DAVIS ET AL. | 435 | 373 | 28/10/1993 |
| | | A3 | 5 | 9 | 8 | 0 | 8 | 8 | 7 | 09/11/1999 | ISNER ET AL | 424 | 93.7 | 08/11/1996 |
| | , | A4 | 6 | 4 | 1 | 0 | 0 | 1 | 5 | 25/06/2002 | GORDON ET AL. | 424 | 93.21 | 11/05/2000 |
| | | A5 | 0 | 0 | 6 | 8 | 0 | 4 | 5 | 06/05/2002 | REUBINOFF ET AL. | 424 | 93.7 | 14/03/2001 |

FOREIGN PATENT DOCUMENTS

| | | | | | | | | n . mn | COLDIEDA | 07.400 | SUB | TRANS | LATION |
|----|---|-----------------|---|---|---|-----|---|------------|----------|--------|-------|-------|--------|
| | | DOCUMENT NUMBER | | | | 3EK | | DATE | COUNTRY | CLASS | CLASS | YES | NO |
| Α6 | Q | 5 | n | 5 | 4 | 5 | 2 | 23/02/1995 | WO | | | | |
| | | | 1 | | | | | | | | | | |

| | OTHER ART (including Author, Title, Date, Pertinent Pages, Etc.) |
|-------------|---|
| A7 | BAHARY, N., and Zon, L.I. (2001). Development. Endotheliumchicken soup for the |
| | en Joderm. Science 294, 530-531. |
| A8 | BUSTELO, X.R., et al. (1993). Developmental expression of thevay protooncogene. |
| | Cell Growth Differ 4, 297-308. |
| A9 | CARMENET, P., et al. (1996). Abnormal blood vessel development and lethality in |
| | embryos lacking a single VEGF allele. Nature 380, 435-439. |
| A10 | CHOI, K., et al. (1998). A common precursor forhematopoietic and endomelial cells. |
| | Development 125, 725-732. |
| All | DAVIS, S., et al. (1996). Isolation of angiopoietin-1, a ligand for the TIE2 receptor, by |
| | secretion-trap expression cloning. Cell87, 1161-1169. |
| A12 | DOETSCHMAN, T.C., et al. (1985). The in vitro development of blastocyst-derived |
| | embryonic stem cell lines formation of visceral yolk sac, blood islands and myocardium |
| | J Embryol Exp Morphol. 1985; 87:27-45. |
| A13 | DZIERZAK, E. (1999). Embryonic beginnings of definitivehematopoietic stem cells. |
| | Ann N Y Acad Sci 872, 256-262, discussion 262-254. |
| A14 | FERRARA, N., et al. (1996). Heterozygous embryonic lethality induced by targeted |
| | inactivation of the VEGF gene. Nature 380, 439-442. |
| A15 | FISCHER, K.D., et al. (1995). Defective T-cell receptor signalling and positive selection |
| | of Vav-deficient CD4+ CD8+thymocytes. Vature 374, 474-477. |
| A16 | GODIN, I., et al. (1995). Emergence of my it notent hemopoietic cells in the yolk sac and |
| | paraaortic splanchnopleura in mouse emoryos, beginning at 8.5 dayspostcoitus. Proc |
| | Natl Acad Sci U S A 92, 773-777. |
| A17 | HAMAGUCHI, I., et al. (1999). In vitro hematopoietic and endothelial cell development |
| | from cells expressing TEK receptor inmurine aorta-gonad mesonephros region. Blood |
| | 93, 1549-1556. |
| A18 | HERRMANN, B.G., and Kispert, A. (1994). The T genes in embryogenesis. Trends |
| | Genet 10, 280-286. |
| A19 | HROMAS, R., et al. (1993). Hematopoietic lineage- and stage-restricted expression of |
| | the ETS oncogene family member PU.1. Blood82, 2998-3004. |
| A20 | JIANG, Y., et al. (2002). Pluripotency of mesenchymal stem cells derived from adult |
| | marrow. Nature 418, 41-49. |
| A21 | KATZAV, Set al. (1989). vav, a novel human oncogene derived from a locus |
| | ubiquitously expressed inhematopoietic cells. Embo J 8, 2283-2290. |
| A22 | KELLER, G. (2001). The Hemangioblast. In Stem Cell Biology, D.R. Marshak |
| | R.L. Gardener, and D. Gottlieb, eds. (Cold Spring Harbor, Cold Spring Harbor |
| | Laboratory Press), pp. 329-348. |
| A23 | KELLER, G., et al. (1993). Hematopoietic commitment during embryonic stem cell |
| | differentiation in culture. Mol Cell Biol 13, 473-486. |
| | |

| _ A24 | KELLER, G., et al. (1999). Development of the hematopoietic system in the mouse. Exp |
|-------|--|
| | * Restol 27, 777-787. |
| . A25 | K. EDY, M., et al. (1997). A common precurso primitive primitive primitive primitive primitive primitive primitive primitive and definitive haematopoiesis. Nature 386, 488-493. |
| A26 | LAMMERT, E., et al. (2001). Induction of pancreatic differentiation by signals from blood vassels. Science 294, 564-567. |
| A27 | LEVENBERG S., et al. (2002) Endothelial cells derived from human embryonic stem |
| A28 | cells. Proc Natl Acad Sci U S A. 99, 4391-4396. LIM, S.K., e. al. (1998). Increased susceptibility in Hp knockout mice during acute |
| A29 | hemolysis. Blood 92, 1870-1877. LIN, C.S., et al. (1996). Differential effects of anerythropoietin receptor gene disruption |
| | on primitive and definitiveerythropoiesis. Genes Dev 10, 154-164. |
| A30 | MATSUMOTO, K. et al. (2001). Liver organogenesis promoted by endothelial cells prior to vascular function. Science 294, 559-563. |
| A31 | MCKERCHER, S.R., et al. (1996). Targeted disruption of the PU. gene results in multiple hematopoietic apnormalities. Embo J 15, 5647-5658. |
| A32 | MERCER, E.H., et al. (1901). The dopamine beta-hydroxylase gene promoter directs |
| | expression of E. coli lacZ to sympathetic and other neurons in adult transgenic mice. Neuron 7, 703-716. |
| A33 | |
| 733 | MOMBAERTS, P., et al. (1992). RAG-1 deficient mice have no mature B and T lymphocytes. Cell 68, 869-877. |
| A34 | MOORE, M.S.A., and Metcalf, D. (1970). Ontogeny of the hematopoietic system: Yolk |
| | sac origin of in vivo and in vitro colony forming cells in the mouse embryo. Br J |
| | Hematology 18, 279-296. |
| A35 | MULLER, A.M., et al. (1994). Development of hermatopoietic stem cell activity in the |
| | mouse embryo. Immunity1, 291-301. |
| A36 | MURRAY, P.D.F. (1932). The development in vitro of the blood of the early chick |
| | embryo. Proc Roy Soc London 11, 497-521. |
| A37 | NERLOV, C., and Graf, T. (1998). PU.1 induces myeloid lineage commitment in |
| | multipotent hematopoietic progenitors. Genes Day 12, 2403-2412. |
| A38 | NISHIKAWA, S.I., et al. (1998). Progressive lineage analysis by cell sorting and culture |
| | identifies FLK1+VE-cadherin+ cells at a diverging point of endothelial anchemopoietic |
| | lineages. Development 125, 1747-1757 |
| A39 | ORKIN, S.H. (2001). Hematopoietic Stem Cells: Molecular Diversification and |
| | Developmental Interrelationships. In Stem Cell Biology Q.R. Marshak, R.L. Gardener, |
| | and D. Gottlieb, eds. (Cold Spring Marbor, Cold Spring Harbor Laboratory Press). |
| A40 | PEVNY, L., et al. (1991). Erythrold differentiation inchimaeric mice blocked by a |
| | targeted mutation in the gene for transcription factor GATA-1. Nature 49, 257-260. |
| A41 | ROBB, L., et al. (1996). The sel gene product is required for the generation of all |
| | hematopoietic lineages in the adult mouse. Embo J 15, 4123-4129. |
| A42 | ROBERTSON, E.J. (1987) Embryo-derived stem cell lines. InTeratocarcinomas and |
| | embryonic stem cells: a practical approach, E.J. Robertson, ed. (Oxford, IRL Press |
| | Limited), pp. 71-112. |
| A43 | ROGERS, M.B., et al. (1991). Specific expression of aretinoic acid-regulated, zinc- |
| | finger gene, Rex-1, in preimplantation embryos, trophoblast and spermatocytes. |
| | Development 113, 8/15-824. |
| A44 . | SABIN, E.R. (1926). Studies on the origin of blood vessels and of red corpuscles as seen |
| | in the living blast oderm of the chick during the second day of incubation. Contributions |
| | to Embryology , 213-262. |
| A45 | SCOTT, E.W, et al. (1994). Requirement of transcription factor PU.1 in the |
| | development of multiple hematopoietic lineages. Science 265, 1573-1577. |
| A46 | SHALABY, F., et al. (1995). Failure of blood-island formation andvasculogenesis in Flk-1-deficient mice. Nature 376, 62-66. |
| A47 | SIMON, M.C., et al. (1992). Rescue of erythroid development in gene targeted |
| 140 | GATA 1- mouse embryonic stem cells. Nat Genetl, 92-98. |
| A48 | SMITH, J. (1997). Brachyury and the T-box genes. Curr Opin Genet Dev 7, 474-480. |
| A49 | SUM, C., et al. (1998). Increased vascularization in miceoverexpressing angiopoietin 1. Spience 282, 468-471. |
| A50 | |
| 130 | AKAKURA, N., et al. (1998). Critical role of the TIE2 endothelial cell receptor in the |
| | development of definitivehematopoiesis. Immunity9, 677-686. |

| EXAMINER | /Taeyoon Kim/ | DATE CONSIDERED | 10/05/2006 |
|----------|--|--------------------------------------|------------------------------------|
| | progenitors does not requ | ireerythropoietin or theery | thropoietin receptor. Cell83, 59-6 |
| A54 | WU, H., et al. (1995). Generation of committederythroid BFU-E and CFU-E | | |
| | Enzymology. 225, 900-9 | 18. | |
| A53 | WILES, M.V. (1993) Embryonic stem cell differentiationin vitro. Methods in | | |
| | Bioessays 23, 78-794. | | |
| A52 | T NAU, U. (2001). E | Brachyury, the blastopore a | le evolution of the mesoderm. |
| | of and T cells in the ab | sence of Vav. Nature 374, 4 | 470. |
| A51 | TARAKHOVSKY, A., e | <i>t al.</i> (1995). Defective antig | en receptor-mediated proliferatio |

EXAMINER:

Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

JDM:RTG:jcb:aet:lsj